

RESOLUTION NO: 2025-16**RESOLUTION APPROVING INTERLOCAL AGREEMENT BETWEEN TOWN OF EDINBURGH AND BLUE RIVER TOWNSHIP TRUSTEE CONCERNING EMERGENCY SERVICES**

WHEREAS, the Edinburgh Town Council of the Town of Edinburgh, Indiana (the "Edinburgh Town Council") and Blue River Township of Johnson County, Indiana ("Township") have the power and authority to exercise jointly with any other political subdivision any power, privilege, or authority which such political subdivisions share in common and which each might exercise separately by and through interlocal agreements pursuant to Indiana Code 36-1-7 et seq;

WHEREAS, the Edinburgh Town Council has negotiated an Interlocal Agreement with the Township to provide the Township with Emergency Services pursuant to the terms of an Interlocal Agreement a copy of which is attached to this Resolution as Exhibit "A";

WHEREAS, the Edinburgh Town Council agrees that the providing of Emergency Services to the Township by the Town of Edinburgh in accordance with the terms and conditions of the Interlocal Agreement is appropriate and in the best interests of the Town of Edinburgh;


NOW THEREFORE BE IT RESOLVED that in consideration of the foregoing and other valuable consideration, the Edinburgh Town Council does hereby adopt the above aforementioned as findings of fact and approves the Interlocal Agreement of Emergency Services with the Township;

IT IS FURTHER RESOLVED that all resolutions or parts of resolutions in conflict with provisions of this resolution are hereby repealed and that should any section or provision of this Resolution be declared by the Courts to be unconstitutional or invalid, such decision shall not affect the validity of the Resolution as a whole, or any part thereof, other than the part declared to be unconstitutional or invalid.

ADOPTED: 8th day of December, 2025.

EDINBURGH TOWN COUNCIL

M. Ryan Piercefield, Council President



Miriam Rooks
Miriam Rooks, Vice President

Debbie Buck, Member

Michael Bryant, Member



Sherri Sweet
Sherri Sweet, Member

ATTEST:



Rhonda Barrett, Clerk Treasurer

Exhibit "A"
Emergency Services Agreement

]

]

]

**INTERLOCAL AGREEMENT
BETWEEN
TOWN OF EDINBURGH AND BLUE RIVER TOWNSHIP
CONCERNING EMERGENCY SERVICES**

THIS INTERLOCAL AGREEMENT ("Agreement") is made and entered into on this 8th day of December, 2025 by and between the Town of Edinburgh, Indiana, by and through the Edinburgh Town Council, a municipality organized and formed under the laws of the State of Indiana ("Town") and the Blue River Township, Johnson County, Indiana, by and through its Township Trustee and Township Board ("Township") (collectively Town and Township referred to as "Parties" or individually as "Party").

WHEREAS, Township has the power and authority to establish, contract for, and expend appropriated funds for the costs and expenses for fire and emergency medical services consisting of ambulance services ("Emergency Services") for the areas of the Township not incorporated into a township or town, ("Trustee Boundaries") pursuant to Indiana Code §16-31-5-1; 36-8-13-3; 36-6-4-8; 3-10-2-13; 36-1-7 et seq;

WHEREAS, the Town has the power and authority to operate, maintain and contract for such Emergency Services pursuant to Indiana Code §16-31-5-1; 36-8-2-3; §36-1-7 et seq;

WHEREAS, the Town has the right to receive and accept financial assistance from the Township for the support of such Emergency Services Indiana Code §16-31-5-1;

WHEREAS, Indiana Code §36-1-7 et seq, permits the Town and Township to exercise jointly with each other any power, privilege, or authority which each may share in common and which each might exercise separately by and through interlocal agreements;

WHEREAS, the Township desires fire services from the Town to supplement the fire services of the Amity Volunteer Fire Department Inc. ("Amity Fire") for the full and complete protection to the Town's citizens, in times of disasters or emergency too great to be dealt with in a situation in which the Amity Fire may not be able to expeditiously respond at the time of a particular incident or event which including the capability for extinguishing all fires that might be reasonably expected because of the types of improvements, personal property and real property ("Fire Services") ;

WHEREAS, the Township desires emergency medical services consisting of ambulance services and transfers to a medical provider for the citizens and visitors within the Trustee Boundaries, as needed and as available, for immediate medical care in order to prevent loss of life or aggravation of physiological or psychological illness or injury ("EMS");

WHEREAS, in addition to the payment of such Emergency Services to the Town, the Township desires to provided financial assistance to the Town for the purchase of an ambulance ("Financial Assistance") as described herein;

WHEREAS, the Town possess the necessary equipment and personnel to provide such Emergency Services to the Township through its Fire Department and desires to accept the Financial Assistance from the Township for the purchase of an ambulance;

Whereas, the Parties had previously entered into an agreement for Emergency Services, dated the 13th day of January 2025 ("Previous Agreement") and agree upon the Effective Date of this Agreement, the Previous Agreement shall be null and void;

WHEREAS, the Parties desire to enter into an interlocal agreement, pursuant to Indiana Code §36-1-7 et seq, describing the Emergency Services to be provided by the Town to the Township and for the payment of such Emergency Services and Financial Assistance by the Township;

WHEREAS, each Party has the authority to execute this Agreement pursuant to a resolution of its governing body; and

Now THEREFORE, in consideration of the premises, mutual covenants herein contained, and each act done pursuant hereto by each of the Parties, it is hereby agreed by and between the Parties as follows:

SECTION 1. PURPOSE

- 1.1 It is the purpose of the Agreement to provide Emergency Services by the Town to the Township; the payment for such Emergency Services and Financial Assistance by the Township to the Town as described herein;
- 1.2 This Agreement is not intended and shall not be construed to in any way deprive a Party of jurisdictional powers vested in said Party.

SECTION 2. GENERAL PROVISIONS

- 2.1 Incorporation of Recitals. The Recitals referred herein are true and accurate in all respects and made a part hereof for all purposes as if fully set forth, and constitute additional promises, representations and warranties of the Parties and are incorporated within this Agreement as if fully rewritten herein.
- 2.2 Authorized Representatives
 - (a) The Town designates the Town Manager as the representative authorized to act on behalf of Town, with respect to this Agreement and serve as the Town's primary point of contact ("Town Representative");
 - (b) The Township designates, the Township Trustee, as the representative authorized to act on behalf of Township, with respect to this Agreement and serve as the Township's primary point of contact ("Township Representative");
 - (c) Parties Authorizations. Both Parties are organized and existing pursuant to the laws of the State of Indiana and have the power

and authority to enter into this Agreement and to carry out its obligations hereunder and the execution of this Agreement has been duly authorized by the undersigned representative of each Party.

SECTION 3. FIRE SERVICES PROVIDED BY THE TOWN

- 3.1 For the purpose of affording additional protection to the Township and its inhabitants, the Town agrees to provide supplemental Fire Services to assist Amity Fire, upon request of the Township, when such service or equipment is available and can be transported without substantial risk or damage to persons or property of the Town, subject to the conditions set forth in this Agreement.
- 3.2 Such requests shall be made only to assist existing Amity Fire when such resources have been or will be exhausted by the size and intensity of a disaster or emergency. The Town will be solely invested with the determination of the nature, type and availability of response it can, in its best judgment, send to such situations.

SECTION 4. FIRE SERVICES PROCEDURES

- 4.1 **Request for Assistance.** The Trustee Representative and/or the authorized agent of Amity Fire ("Incident Commander"), shall have the right to initiate requests for Fire Services at such times as deemed to be in the best interests of the Township to do so. Such requests shall be submitted pursuant to standard operating procedures established by the Parties;
- 4.2 **Response to Request.** Upon receipt of such a request, the Town's Fire Department by its Fire Chief, shall immediately take the following actions:
 - (a) Determine if the Town has equipment and personnel available to respond to the Town's request and determine the type of the equipment and number of personnel available;
 - (b) Determine what available equipment, apparatus and/or personnel should be dispatched in accordance with the operating plans and procedures established by the Parties;
 - (c) In the event the needed equipment, apparatus and/or personnel are available, to dispatch such equipment, apparatus and personnel to the scene of the emergency with proper operating instructions;
 - (d) In the event the needed equipment, apparatus and/or personnel are not available, to immediately advise the Township.
- 4.3 **Conditions.** The providing of Fire Services shall be subject to the following conditions:

- (a) The Parties recognize that time is critical during an emergency and diligent efforts will be made to respond to a request for Fire Services as rapidly as possible, including any notification(s) that requested resources are not available;
- (b) No department, officer or employee of the Town shall perform any function or service not within the scope of the duties of such department, officer or employee in its respective primary jurisdiction;
- (c) The Town shall not be required to maintain personnel or equipment within the Township Boundaries for a period longer than is necessary;
- (d) The rendition of Fire Services, standards of performance, discipline of officers and employees, and all other matters incident to the performance of services by command personnel and the command and control of their personnel and equipment shall remain with each Party to this Agreement;
- (e) The decision of the Town's Fire Chief shall be final and conclusive as to the geographical boundaries of response, the level of services rendered, or standards of performance observed by the Town's personnel providing Fire Services while within the Township's Boundaries;
- (f) The Town's personnel, shall be subject to the orders and directions of the Incident Commander;
- (g) The Incident Commander in charge on scene of the emergency shall communicate orders and directions to the Town's Officer in charge via the designated radio channel or face to face;
- (h) The Township shall maintain responsibility for the handling of the incident and supplying appropriate Command Staff;
- (i) The Town shall compensate its employees who provide the Fire Services during the time such Fire Services are rendered;
- (j) The Town makes no guarantee or assurance of providing responses within any specific period of time or of the number and types of equipment and number of personnel that will respond at any particular emergency dispatch and the Town does not incur a special duty to the Township, its elected officials, employees, agents or citizens;
- (k) The Township shall prepare all Township reports via the E.S.O. software (EMS reporting), Image Trend (NFIRS reporting/fire report).

SECTION 5. EMERGENCY MEDICAL SERVICES (EMS)

- 5.1 The Incident Commander shall have the right to initiate requests for EMS at such times as deemed to be in the best interests of the Township to do so. Such requests shall be submitted pursuant to standard operating procedures established by the Parties.
- 5.2 The Town shall be responsible to provide for EMS when requested by the Incident Command by dispatching an ambulance which contains basic life support systems. The Town shall provide EMS to the greatest extent feasible considering the equipment available to the Town based upon the known needs of the patient. The ambulance used by the Town for transfers shall meet all requirements of Indiana law;
- 5.3 The Town shall be responsible for providing all operational and clinical personnel employed to provide the EMS under the Agreement during transfers. Persons employed by Town in the performance of EMS shall be competent and holders of appropriate licenses, certificates, accreditations, and permits in their respective professions;
- 5.4 Once the individual has been transferred to the medical provider by the Town, the Parties shall document the assessment and treatment they provided. The Parties agree to provide a completed copy of their documentation to each other at their earliest convenience.

SECTION 6. EMS PROCEDURES

- 6.1 The Parties recognize that time is critical during an emergency and diligent efforts will be made to respond to a request for EMS as rapidly as possible;
- 6.2 No department, officer or employee of the Town shall perform any function or service not within the scope of the duties of such department, officer or employee in its respective primary jurisdiction;
- 6.3 The Town shall not be required to maintain personnel or an ambulance within the Township Boundaries for a period longer than is necessary;
- 6.4 The rendition of EMS, standards of performance, discipline of officers and employees, and all other matters incident to the performance of services by command personnel and the command and control of their personnel and equipment shall remain with each Party to this Agreement;
- 6.5 The decision of the Town's Fire Chief shall be final and conclusive as to the geographical boundaries of response, the level of services rendered, or standards of performance observed by the Town's personnel providing EMS while within the Township's Boundaries;
- 6.6 The Town's personnel, shall be subject to the orders and directions of the Incident Commander;

- 6.7 The Incident Commander in charge on scene of the emergency shall communicate orders and directions to the Town's Officer in Charge via the designated radio channel or face to face;
- 6.8 The Township shall maintain responsibility for the handling of the incident and supplying appropriate Command Staff;
- 6.9 The Town shall compensate its employees who provide the EMS during the time such EMS are rendered;
- 6.10 The Town makes no guarantee or assurance of providing responses within any specific period of time or of the number and types of equipment and number of personnel that will respond at any particular emergency dispatch and the Township does not incur a special duty to the Township, its elected officials, employees, agents or citizens.

SECTION 7. DURATION AND TERMINATION

- 7.1 Effective Date. This Agreement shall take effect and be in full force and effect on the date of the last of the following that has occurred:
 - (a) Execution by the Parties hereto;
 - (b) The passage of appropriate resolutions and ordinances, recordation of this Agreement with the Johnson County Recorder; and
 - (c) Filing of this Agreement with the Indiana State Board of Accounts, Johnson County Auditor, and Auditor of the State.
- 7.2 Duration. The initial term of this Agreement shall be for a period of three (3) years, commencing on the Effective Date;
- 7.3 Extension. This Agreement shall automatically be renewed and extended for an additional one (1) year period upon the same terms and conditions set forth herein, or as amended, unless terminated as provided in this Agreement;
- 7.4 Termination:
 - (a) Mutual Agreement. Notwithstanding anything contained herein to the contrary, this Agreement, and the obligations of the Parties hereto and their respective assigns and successors in interest, may be terminated upon the mutual agreement of the Parties.
 - (b) Termination for Breach.
 - (i) In the event either Party commits a breach of this Agreement, the non-breaching Party may terminate this Agreement by providing the other Party with a thirty (30)

day written notice of intent to terminate as a result of the breach;

(ii) Provided, however, the breaching Party shall have said thirty (30) day period in which to effect a cure of the breach, which, if cured within said thirty (30) day period, shall cause this Agreement to continue in full force and effect. Otherwise, this Agreement shall terminate thirty (30) days from the date of the notice of intent to terminate sent by the non-breaching Party.

SECTION 8. COMPENSATION

- 8.1 The Township shall pay the Town Ten Thousand Dollars and No Cents (\$10,000.00) per annum for the Emergency Services with the 2025 payment due on or before the 31st day of December ("Compensation") and the 31st day December for each year thereafter. If said amount has been paid per the terms of the Previous Agreement prior to the Effective Date, then such payment shall be credited to the payment described in this Section for 2025;
- 8.2 Notwithstanding the receipt of Compensation from the Township, the Town shall have the right to invoice the patient/landowner and/or applicable third-party payor in accordance with its customary rates and practice. Township shall assist in obtaining patient information, Medicare Part A or B status, authorizations and/or signatures to permit the Town to invoice for any Emergency Services;
- 8.3 Persons employed by the Township in the performance of Emergency Services and functions pursuant to this Agreement shall have no claim against the Town for pension, worker's compensation, unemployment compensation, civil service, or any other employee rights or privileges granted by operation of law or otherwise to the officers and employees of the Town.

SECTION 9. FINANCIAL ASSISTANCE

- 9.1 As additional consideration for the Town providing the Emergency Services to the Township, the Township shall pay to the Town, Three Hundred Thousand Dollars and No Cents (\$300,000.00) for the purpose of the Town purchasing an ambulance ("Ambulance") as described in Section 9.2 ("Financial Assistance Payment"). The Financial Assistance Payment shall be paid to the Town within thirty (30) days from receipt of written notice from the Town that the Ambulance has been purchased. The Township shall not acquire any ownership interest in the Ambulance as a result of said Financial Assistance Payment;
- 9.2 The Ambulance specifications are described in attached Exhibit "A".

SECTION 10. LIABILITY - INDEMNIFICATION AND HOLD HARMLESS

- 10.1 **Mutual Releases.** Except as specifically provided herein, each Party hereby forever releases or discharges each other Party, its elected officials, employees, and/or agents from any claim related to this Agreement or for the providing Emergency Services hereunder.
- 10.2 **Liability to Other Parties- Damage or Destruction to Equipment.** Except as expressly provided herein, the Township shall not be obligated to pay the Town for any damage to or destruction of any equipment used for the Emergency Services. It is the intent of the Parties that the risk of loss to equipment will be addressed by each Party through the purchase of casualty insurance or self-insurance as opposed to seeking reimbursement from the other Party;
- 10.3 **Liability to Third Parties.** The term "third party" means any person, firm or entity other than the Parties hereto. With regard to the Emergency Services provided hereunder, each Party shall be responsible for all liability arising from or related to the negligent acts or willful misconduct of that Party, its officers, elected officials, employees, volunteers and/or agents which causes damage to third parties, to the extent and in proportion that such liability is caused by the negligent acts or willful misconduct of that Party, its officers, elected officials, employees, volunteers and/or agents. Notwithstanding the foregoing, nothing in this Agreement is intended to create a cause of action or standing in favor of third parties to initiate legal claims of any nature against any Party;
- 10.4 **Cross indemnification.** To the extent permitted by law, each Party agrees to indemnify, defend and hold harmless the other Parties, their officers, elected officials, employees, volunteers and/or agents from any and all claims, demands, causes of action, lawsuits, costs, including attorneys' fees, losses, judgments, awards or liabilities to any third party, arising out of the negligent acts or willful conduct of the indemnifying Party, its officers, officials, employees, volunteers and/or agents in connection with the performance of this Agreement;
- 10.5 **Immunity.** All of the privileges and immunities from liability, exemptions from laws, ordinances and rules, and all pensions and relief, disability, worker's compensation and other benefits which apply to the activity of officers or employees of a Party when performing their respective functions within the territorial limits for their respective agencies shall also apply to the same degree and extent to the performance of such functions and duties extraterritorially when accomplished pursuant to this Agreement;
- 10.6 **Survival.** The provisions of this Section shall survive the expiration or termination of this Agreement.

SECTION 11. REPRESENTATIONS, WARRANTIES AND COVENANTS OF THE TOWNSHIP

- 11.1 The Township hereby represents, warrants and covenants to the Town and its successors and assigns that the Township has taken all necessary action to authorize the execution, delivery and performance of this Agreement;
- 11.2 The Township shall include sufficient funds in the Township appropriations and annual budget, to pay for the availability of such Emergency Services and the Financial Assistance Payment.

SECTION 12. REPRESENTATIONS AND WARRANTIES OF THE TOWN

- 12.1 The Town hereby represents, warrants and covenants to the Township and its successors and assigns that the Town has taken all necessary action to authorize the execution, delivery and performance of this Agreement and all other agreements, instruments, certificates and documents contemplated hereby, including without limitation the Transfer Documents;
- 12.2 The Town shall maintain a communications system sufficient to provide adequate Emergency Services to the Township and shall update such communications system as needed to continue to provide adequate Emergency Services to the Township.

SECTION 13. INSURANCE

- 13.1 Each party shall provide insurance coverage as following:
 - (a) A comprehensive general policy, providing coverage on an "occurrence" basis and personal and bodily injury liability, and property damage, having primary limits of not less than:
 - (i) \$1,000,000 Each Occurrence;
 - (ii) \$5,000,000 General Aggregate;
 - (iii) \$5,000 Medical Expense (any one person).
 - (b) Vehicle Liability;
 - (i) \$1,000,000 Each Occurrence;
 - (ii) \$1,000,000 General Aggregate.
 - (c) Repair or replacement insurance;
 - (d) Workman's compensation insurance.

(i) Employer's liability insurance with limits of not less than \$500,000.00 per accident, \$500,000.00 per disease and a \$500,000.00 policy limit on disease.

13.2 Each Party shall be named as an additional insured party under the policies called for under Section 13.1(a)-(c);

13.3 Each Party shall furnish to the other Party and any other person designated by Party certificates issued by the company or companies issuing such insurance described herein, evidencing that such insurance is in full force and effect and providing that no such insurance may be cancelled without at least thirty (30) days' notice by certified mail, return receipt requested, to each party as set forth in Section 15 and, if requested by Party, duplicate policies also shall be furnished;

13.4 In addition, the Town shall furnish a certificate issued by the appropriate agency in Indiana showing that the Workmen's Compensation and Occupational Disease and other employee benefit insurance is in full force and effect and may not be cancelled without at least thirty (30) days' written notice to Township.

SECTION 14. DISPUTE RESOLUTION

14.1 Any disputes that may arise under this Agreement shall be resolved by the Parties' respective executive officers or their designees;

14.2 In the event the Parties are unable to resolve their claims through the executive officers or their designees, the Parties shall endeavor to resolve their claims by mediation administered pursuant to the Indiana Rules for Alternative Dispute Resolution in effect on the date of the Agreement. The Parties shall equally share the mediator's fees and any filing fees. The mediation shall be held in Franklin, Indiana, unless another location is mutually agreed upon. Agreements reached in mediation shall be enforceable as settlement agreements in any court having jurisdiction thereof;

14.3 In the event of any litigation between the Town and the Township that arises out of or relates to this Agreement, the "prevailing party" in such litigation shall be entitled to recover its attorneys' fees incurred in the litigation. For purposes of this paragraph, the term "prevailing party" shall mean the Party that recovers all or substantially all of the relief requested in its pleadings and includes attorney's fees incurred in the collection or enforcement of any judgment. The Parties agree that the exclusive and sole venue for any claim arising out of or relating to the Agreement shall be any court of competent jurisdiction located in Johnson County, Indiana.

SECTION 15. NOTICE

15.1 All notices, requests, demands and other communications that are required or permitted to be given pursuant to the terms of this Agreement

shall be in writing, and delivery shall be deemed sufficient in all respects and to have been duly given as follows: (a) on the actual date of service if delivered personally; (b) at the time of receipt of confirmation by the transmitting Party if by facsimile transmission; (c) on the third day after mailing if mailed by first class mail return receipt requested, postage prepaid and properly addressed as set forth in this Section 15; or (d) on the day after delivery to a nationally recognized overnight courier service during its business hours or the Express Mail service maintained by the United States Postal Service during its business hours, in each case, for overnight delivery against receipt, and properly addressed as set forth in this Section 15 as follows:

Town:

Town of Edinburgh
President of Town Council and Town Manager
P.O. Box 65
Edinburgh, Indiana 46124

With copy to:

Dustin D. Huddleston
Town Counsel
Huddleston & Huddleston
98 West Jefferson Street
Franklin, Indiana 46131

Township:

Blue River Township Trustee
116 Holland Street
Edinburgh, Indiana 46124

SECTION 16. NO BENEFIT TO THIRD PARTIES

- 16.1 This Agreement shall not be construed to provide any benefits to any third parties, including but not limited to the employees or volunteers of any Party.

SECTION 17. OWNERSHIP OF PROPERTY

- 17.1 Except as described in Section 9, it is not contemplated that any property, real or personal, will be acquired by any Party separately or jointly as a result of this Agreement. No separate fund shall be established with regard to this Agreement. All equipment and property owned or acquired solely by a Party hereto shall remain the equipment and property of that Party.

SECTION 18. INDEPENDENT CONTRACTOR/CONFLICT OF INTEREST

18.1 It is the intention and understanding of the Parties that the Township and the Town shall be independent contractors and that the Township shall be neither liable nor obligated to pay sick leave, vacation pay, or any other benefit of employment, nor to pay any social security or other tax which may arise as an incident of employment to any employee of the Town.

SECTION 19. COVENANT OF FURTHER ASSURANCES

19.1 The Parties agree that from and after the Effective Date, each will, upon the request of the other, execute and deliver such other documents and instruments and take such other action as may be reasonably required to carry out the purpose and intent of this Agreement.

SECTION 20. PARTIES BOUND BY THIS AGREEMENT

20.1 This Agreement shall be binding upon and inure to the benefit of the Parties hereto and their respective successors in interest and assignees.

SECTION 21. ENTIRE AGREEMENT; AMENDMENT

21.1 The written terms and provisions of this Agreement shall supersede all prior verbal statements of any officer or other representative of the Town or Township and such statements shall not be effective or be construed as entering into or forming a part of, or altering in any manner whatsoever, this Agreement;

21.2 This Agreement contains and constitutes the entire agreement of the Parties regarding the subject matter hereof, and there are no other agreements, written or oral, between the Parties affecting the subject matter hereof;

21.3 No amendment of this Agreement shall be effective unless the same is made in writing and signed by the Parties hereto.

SECTION 22. SEVERABILITY

22.1 Any provision of this Agreement prohibited by law or invalid under any law shall be ineffective only to the extent of such prohibition, without in any manner invalidating or affecting the remaining provisions of this Agreement such provisions being deemed severable.

SECTION 23. ASSIGNMENT

23.1 Neither Party shall assign, pledge or hypothecate this Agreement or any of its rights hereunder.

SECTION 24. GOVERNING LAW; CONSTRUCTION

- 24.1 This Agreement shall be interpreted and enforced according to the laws of the State of Indiana;
- 24.2 All headings of sections of this Agreement are inserted for convenience only, and do not form part of this Agreement or limit, expand or otherwise alter the meaning of any provisions hereof;
- 24.3 This Agreement may be executed in any number of counterparts, each of which shall be deemed to be an original and all of which shall constitute one and the same Agreement;
- 24.4 The terms "hereof", "herein" and "hereunder", and words of similar import, shall be construed to refer to this Agreement as a whole, and not to any particular paragraph or provision, unless expressly so stated;
- 24.5 The word "person" shall mean any natural person, partnership, limited liability company, corporation and any other form of business or legal entity;
- 24.6 All words or terms used in this Agreement, regardless of the number or gender in which they are used, shall be deemed to include any other number and any other gender as the context may require;
- 24.7 The provisions of this Agreement are intended to be for the sole benefit of the Parties hereto, and their respective successors and assigns, and none of the provisions of this Agreement are intended to be, nor shall they be construed to be, for the benefit of any third party;
- 24.8 This Agreement shall be construed without regard to any presumption or rule requiring construction against the Party causing such instrument to be drafted;
- 24.9 Each and every provision of law and governmental regulation required by law to be inserted in the Agreement such as this shall be deemed to be inserted herein or therein and this Agreement shall read and shall be enforced as though so included therein, and if through mistake, inadvertence or otherwise any such provision is not inserted, or is not correctly inserted, then upon the application of either Party, this Agreement shall be deemed to be amended to make such insertion or correction.


SECTION 25. COUNTERPARTS

- 25.1 This Agreement and any amendments, waivers, consents or supplements may be executed in any number of counterparts and by different Parties hereto in separate counterparts, each of which, when so executed and delivered, shall be deemed an original, but all of which counterparts together shall constitute but one Agreement.

SECTION 26. ELECTRONIC APPROVAL

26.1 This Agreement together with any document contemplated to be executed in connection herewith may be transmitted between the Parties electronically or digitally. The Parties intend that electronically or digitally transmitted signatures constitute original signatures and are binding on the Parties. The original documents shall be promptly executed and/or delivered.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year indicated below.

Town of Edinburgh
By: 
Dated: 12/18/25

Blue River Township Trustee
By 
Dated: 1/17/26

Exhibit "A"
Ambulance Specifications

Exhibit "A"
Page 1 of 26
 November 25, 2024



PRELIMINARY BUILD SPECIFICATION

Quote # QUO000010184

Production # 22564

Document Rev. # 1

Status: Active

Prepared For:

Mark Genzink

EV+ Stock Unit

670 E 16th Street

Holland,
MI
49423

Phone:

Presented By:

Mark Genzink

Emergency Vehicles Plus

Phone:

Option	QTY	Description
CHASSIS		
1000-0002	1	AMBULANCE SPECIFICATIONS
1000-1089	1	CHASSIS, 2025 FORD E-450, 158 The chassis required to complete the ambulance conversion shall be supplied by Horton.
CHASSIS ORDERED WITH STEEL WHEELS		
1000-0072	1	CHASSIS ORDERED WITH STEEL WHEELS The specified chassis is to be ordered to include OEM steel wheels.
1000-0338	1	WALK THROUGH CAB/MODULE, E SERIES Provide a walkthrough opening between the cab and the patient compartment. A walkthrough door, if required, will be specified separately.
1000-0342	1	STAINLESS STEEL FULL COVERS, E SERIES Install stainless steel wheel covers on all outside wheel.
1000-0344	1	BRAIDED VALVE EXTENSIONS, E SERIES Install stainless steel braided filler extensions on the rear tires. Fasten to the center wheel hub with stainless steel brackets.
1000-0083	1	STANDARD CAB HEIGHT The specified chassis will have the standard cab height.
1000-0345	1	MUD FLAPS, REAR, SMALL W/LOGO Install individual rear mud flaps behind each set of rear wheels. Mud flaps to include Horton logo.
1000-0090	1	REINFORCE REAR BUMPER END CAPS Reinforce end caps of rear bumper for greater impact resistance.
1000-0104	1	RUNNING BOARDS: EMB.W/STAR PUNCH, E SERIES

Spec Writer: **Kevin Westfall**

Spec Designer: **Chris Hagg**

22564 EV+ Stock Unit Type III

Exhibit "A"
Page 2 of 26

Quote # QUO0000010184

November 25, 2024

Page 2

Option	QTY	Description
		Install heavy duty aluminum embossed diamond plate running boards and splash shields. Running boards are to be star punched for enhanced drain and foot grip.
1000-0225	1	REAR STEP/ BUMPER ASSEMBLY, E SERIES Install a diamondplate rear step/bumper assembly with flip-up center section.
1000-0151	1	FRONT STABILIZER BAR: ROADMASTER, E450 Remove the OEM front stabilizer bar and install Roadmaster brand aftermarket stabilizer bar.
BODY		
2000-0101	1	AMBULANCE BODY Conversion model is to be a 553-III using a Ford E450 chassis. Body length is 169".
2000-0013	1	HEADROOM, 72" The headroom is to be 72".
2000-0625	1	ALUM. DIAMONDPLATE AT SIDE STEPWELL Fabricate the stepping surface inside the side access door using polished aluminum diamond treadplate.
2000-0243	1	DOUBLE STEP CURBSIDE ENTRY, 3" DROP SKIRT Fabricate curbside of body with 3" drop skirt. To include two step side entry.
2000-0244	1	STREETSIDE 3" DROP SKIRT Fabricate streetside of body with 3" drop skirt.
2000-0250	1	SOUND PROOFING/ACOUSTIC ENHANCEMENT PACKAGE Install standard sound control package.
2000-1050	1	ROOF POCKET, AUXILIARY CONDENSER Install a roof pocket for a CoolTech I unit.
2000-0259	1	PRIVACY WINDOWS, FIXED, REAR ENTRY DOORS Install privacy tinted solid fixed windows in the rear module access doors.
2000-0263	1	PRIVACY WINDOW, SLIDING FOR SIDE ENTRY DOOR Install a sliding tinted privacy window in the side access door.
2000-0265	2	EMERGENCY RELEASE, REAR DOORS Install standard emergency release knobs on top and bottom of the rear module entrance doors.
2000-0704	1	EMERGENCY RELEASE, SIDE ACCESS DOOR Install emergency release knobs on top and bottom of the side module entrance door.
2000-0010	1	DOOR HANDLES Install Tri-Mark free floating style door handles with pre-stretched stainless steel cables. Include three piece interior door panels on all access doors.
2000-0266	1	VI-TECH MOUNTING, E SERIES Install standard Vi-Tech body mounts.
2000-0270	1	MIRROR STAINLESS STEEL SPLASH SHIELDS Install #8 mirror stainless splash shields on the lower front face of the body just behind the cab access doors. These splash shields are to be the same height as the diamond plate front corner guards.
2000-0596	1	PRE PUNCH SPLASH SHIELDS

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Hagg****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 3 of 26

Quote # QUO0000010184

November 25, 2024

Page 3

Option	QTY	Description
		The specified front splash shields are to be pre-punched to accept the specified running board lights.
2000-0688	1	FENDERS, STAINLESS, STD, CS 3" DROP SKIRT Install a stainless steel fender, for use in conjunction with a 3" drop skirt, at the curbside rear wheelwell location.
2000-0689	1	FENDERS, STAINLESS, STD, SS 3" DROP SKIRT Install a stainless steel fender, for use in conjunction with a 3" drop skirt, at the streetside rear wheelwell location.
2000-0273	1	POLISHED STAINLESS RUB RAILS Polished stainless lower body rub rails, with #8 mirror finish, are to be installed along the bottom of the body on each side fore and aft of the rear wheels.
2000-0652	1	STANDARD CORNER GUARDS Install standard height polished diamondplate corner guards.
2000-0281	1	REAR DOOR HOLD OPENS, GRABBER Install chrome Cast Products "Grabber" style rear door hold opens. (NOTE: HOLDOPENS MUST BE RELOCATED IF TELESCOPIC LIGHTS ARE ORDERED)
2000-0583	1	ENTRY DOOR THRESHOLDS, LINE-X Apply black Line-X to the side and rear entry door thresholds. Delete the standard anti-slip tape.
2000-0584	1	REAR RISER ADP The rear riser is to be fabricated out of polished aluminum diamondplate.
2000-1103	1	LICENSE PLATE, STREETSIDE REAR RISER Drill two mounting holes for the rear license plate on the streetside of the rear riser. Install an LED license plate light. include bolts with which the plate shall mount.
2000-0598	20	DOOR REFLECTORS All patient compartment entry doors to include standard red reflectors.
COMPARTMENTATION		
2900-1495	1	STREETSIDE FORWARD COMPARTMENT The height of the streetside front compartment is to be the full available height of the body. See drawings for compartment dimensions. Compartment is to include standard LED strip lighting and a single hinged door.
2000-0400	1	SS FORWARD COMPT. DIAMONDPLATE The streetside forward compartment is to be fabricated from diamondplate.
2900-1498	1	STREETSIDE INTERMEDIATE COMPARTMENT The height of the streetside intermediate compartment is to be the full available height to the bottom of the interior countertop. See drawings for compartment dimensions. Compartment is to include standard LED strip lighting and double hinged doors.
2000-0402	1	SS INTRMDT COMPT. DIAMONDPLATE The streetside intermediate compartment is to be fabricated from diamondplate.
2900-0144	2	ADJUSTABLE SHELF STREETSIDE INTERMEDIATE Left side of divider Install diamond plate adjustable shelving in the streetside intermediate compartment. Locate as noted.
2900-0242	1	ELECTRICAL DIVIDER, STREETSIDE INTERMEDIATE Against sharps close out

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Haggy****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 4 of 26

Quote # QUO0000010184

November 25, 2024

Page 4

Option	QTY	Description
		Install a fixed vertical divider in the streetside intermediate compartment 12" from the wall. Locate to isolate the onboard electrical equipment from the remainder of the storage within the compartment.
1000-0308	1	RIGHT SIDE MOUNTED ELECTRICAL EQUIPMENT Install the onboard electrical components on the right side of the streetside intermediate compartment.
2900-0252	1	EXPANDED METAL CAGE, STREETSIDE INTERMEDIATE Install an expanded metal cage around the onboard electrical equipment per location noted above. Include access ports to equipment with grip lock around the edges of the openings.
2900-1504	1	STREETSIDE REAR COMPARTMENT The height of the streetside rear compartment is to be 1/2 of the available height of the body. See drawings for compartment dimensions. Compartment is to include standard LED strip lighting and double hinged doors.
2000-0404	1	SS REAR COMPT. DIAMONDPLATE The streetside rear compartment is to be fabricated from diamondplate.
2900-0145	1	ADJUSTABLE SHELF STREETSIDE REAR Centered Install diamond plate adjustable shelving in the streetside rear compartment. Locate as noted.
2900-1507	1	CURBSIDE REAR COMPARTMENT The height of the curbside rear compartment is to be full height of the available height of the body. See drawings for compartment dimensions. Compartment is to include standard LED strip lighting and a single hinged door.
2000-0409	1	CS REAR COMPT. FLAT ALUMINUM The curbside rear compartment is to be fabricated from flat aluminum.
2900-0148	2	ADJUSTABLE SHELF CURBSIDE REAR Right side of divider for I/O, bottom shelf to be located 42.5" from floor Install diamond plate adjustable shelving in the curbside rear compartment. Locate as noted.
2900-4070	1	FIXED VERTICAL DIVIDER, CURBSIDE REAR 12" from right wall Install a 16" deep fixed vertical divider in the curbside rear compartment. Locate as noted above.
2000-0611	1	SWEEP OUT COMPARTMENT FLOOR CS REAR COMPT Curbside rear compartment floor is to be sweep-out style.
SR00295418	1	Stair Chair Set Up Make the door pocket as wide and deep as possible. Pocket is to be welded on from the back of the door panel. Include a hat section on the wall that is approximately 3" off the wall and 24"H to allow the stair chair to sit at an angle.
2900-1511	1	CURBSIDE FORWARD COMPARTMENT

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Hagg****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 5 of 26

Quote # QUO0000010184

November 25, 2024

Page 5

Option	QTY	Description
		The height of the curbside front compartment door is to be the full available height of the body. See drawings for door dimensions. Compartment is to include standard LED strip lighting and a single hinged door.
3000-0127	1	PULL OUT TRAY FOR 2-BATTERY SYSTEM Install a custom battery tray for (2) batteries in the battery compartment.
2900-0110	1	RUBBER MATTING IN EXTERIOR COMPARTMENTS Ribbed black rubber matting will be installed on the floor and shelves of all exterior compartments.
2900-0113	1	RUBBER WALLS IN BB COMPT, GRAY The interior of the backboard compartment is to be covered with gray rubber matting to protect equipment stored in this area.
PAINT AND GRAPHICS		
5000-0003	1	CHASSIS PAINT: WHITE Chassis color to be standard white.
5000-0007	1	MODULE PAINT, WHITE Paint module standard white to match chassis.
5000-0194	1	ACCESS DOORS DEMO STYLE R/W CHEVRON Install red/white printed Scotchlite demo style chevrons on the center inner door panels of all entry doors.
INTERIOR FEATURES		
2000-0288	1	ACRYLIC COLOR: LIGHT TINT All acrylic doors to be light tint.
2000-0828	2	COUNTERTOP, COVED, MERAPI Fore and aft of CPR seat Install solid surface countertop(s) in lieu of stainless steel. Material is to include radiused and tapered corners and is to have a polished finish. Fabricate with coved edges around the interior perimeter of the retention lips. Color is to be Merapi. Locate as noted above.
2000-0592	1	PAINTED STANDARD INHALATION AREA WALLS The main wall action area walls are to be painted to match the remainder of the interior cabinets.
2000-0307	1	INHALATION PANEL, CG TECH COVERED The inhalation panel is to be fabricated from composite material and covered with CG Tech to match to color selected.
2000-0643	1	SILVER METALLIC CG TECH INTERIOR COLOR The patient area walls, inner door panels and inhalation panel (EXCLUDING the main cabinet wall and associated areas such as the action area, CPR seat and telemetry area when equipped) are to be finished with Silver Metallic CG Tech material. Requires stainless risers and lower door panels.
2000-0457	1	LONCOIN FLECKSTONE BLACK ONYX #150TS The patient area floor is to be covered in Loncoin Fleckstone Black Onyx #150TS.
2000-0324	1	STAINLESS STEEL RISERS Install stainless steel on the interior risers. If a cabinet riser accent stripe is ordered the stainless steel will stop at the bottom edge of the stripe.
2000-0325	1	STAINLESS STEEL LOWER DOOR PANELS

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Haggy****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 6 of 26

Quote # QUO0000010184

November 25, 2024

Page 6

Option	QTY	Description
		Finish lower section of inside patient compartment doors with stainless steel.
2000-0679	1	BATTLESHIP GRAY CABINET COLOR All interior cabinetry is to be painted Battleship gray.
2000-0709	1	CABINET PAINT TO BE SMOOTH The specified cabinet paint is to have a smooth finish.
2000-0946	1	PATRIOT PLUS DOVE GRAY VINYL COLOR All seat cushions and vinyl closeouts are to be covered in Patriot Plus Dove Gray colored material.
2000-0326	1	STANDARD FIXED SEATBASE Install the standard aluminum fixed seat base for the attendant's seat specified.
2000-3139	1	USSC, BLACK 4-POINT, DOVE GRAY WITH CHILD SEAT Install a Dove Gray #8567 USSC high back bucket seat with built-in child safety seat and black 4pt seatbelt with safety vest. The seat to be adjustable front to rear and is to be mounted at the head of the cot.
2000-1754	1	OCCUPANT RESTRAINT. HEAD OF BENCH, BLACK Install an MBrace 4-pt seatbelt at the head position of the squad bench. Color is to be black.
2000-1758	1	OCCUPANT RESTRAINT. FOOT OF BENCH, BLACK Install an MBrace 4-pt seatbelt at the foot position of the squad bench. Color is to be black.
2000-0603	1	COMPOSITE INTERIOR CABINETS, BATTLESHIP GRAY All applicable cabinetry to be fabricated from aluminum composite material. Color is Battleship Gray.
3000-1119	1	TUBULAR AIRBAG, ATTENDANT'S SEAT Install a tubular airbag at the attendant's seat. Unit uses an angled upper inhalation cabinet and includes a cabinet beneath the main countertop.
3000-1125	1	HEAD CURTAIN AIRBAG, ATTENDANT'S SEAT Install a head curtain air bag for the attendant's seat for use with a standard linen cabinet.
3000-1126	1	AIRBAG SENSOR Install the standard airbag sensor in the standard location.
3000-1127	1	TUBULAR AIRBAG, CPR SEAT LOCATION. Install a tubular airbag forward of the CPR seat.
2000-0575	1	CABINET TRIM RADIUSED Install smooth radiused trim molding on all applicable interior cabinets.
2900-0079	1	IV HANGER, CP WITH RUBBER ARM COT HEAD Per Drawing Install a Cast Products recessed IV hanger with rubber arm over the cot head area.
2900-0207	1	IV HANGER, CP WITH RUBBER ARM BENCH CHEST Per Drawing Install a Cast Products recessed IV hanger with rubber arm over the bench chest area.
2000-0414	1	GRAB RAIL: (2) 2FT ANTI MIC. OVER COT Per Drawing Install (2) standard style 2' main grab rails with anti-microbial coating. Locate offset toward the main wall over the cot position in the patient area ceiling.

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Hagg****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 7 of 26

Quote # QUO0000010184

November 25, 2024

Page 7

Option	QTY	Description
2000-0569	1	GRAB RAIL: 6FT WITH ANTI-MIC, OVER BENCH Per Drawing Install a standard style 6' main grab rail with anti-microbial coating. Locate offset toward the bench wall in the patient area ceiling.
2000-0419	1	PATIENT DOOR GRAB RAILS: ANTI-MICROBIAL Install standard 'V' shaped grab rails with anti-microbial coating. Locate on the interior door panels of all three patient entry doors.
2000-0423	1	CEILING MATERIAL, PLATINUM WHITE COMPOSITE The standard module ceiling material shall be platinum white aluminum composite.
STREETSIDE CABINERY		
2000-0337	1	LINEN CABINET Install a standard storage cabinet behind the attendant seat.
2900-1076	1	FIXED SHELF, UPPER LINEN CLOSET Fab and install a fixed aluminum shelf in the upper section of the linen cabinet. Shelf is to be painted to match the cabinet color.
2900-1079	1	ADJUSTABLE SHELF MIDDLE 1 LINEN CLOSET Fab and install an adjustable aluminum shelf in the middle section of the linen cabinet. Shelf is to be painted to match the cabinet color.
2900-1083	1	ADJUSTABLE SHELF LOWER LINEN CLOSET Fab and install an adjustable aluminum shelf in the lower section of the linen cabinet. Shelf is to be painted to match the cabinet color.
2900-2029	2	SOLID LAMINATE-COVERED LINEN CLOSET DOOR Install hinged solid doors on the linen cabinet. Cover in laminate to match the interior.
2900-1070	1	PIANO HINGE FOR LINEN CLOSET TOP DOOR The upper linen cabinet door(s) is/are to use piano style hinge.
2900-1074	1	PIANO HINGE FOR LINEN CLOSET LOWER DOOR The lower linen cabinet door(s) is/are to use piano style hinge.
2900-1183	1	LOCKING SOUTHCHE LATCH, UPPER LINEN, CHANGE 10 Install a locking stainless flush mount Southco HD style pull latch on the upper linen cabinet door. Latch to be Change Notice 10 compliant and rated for 25lbs.
2900-1186	1	SOUTHCHE LATCH, LOWER LINEN, CHANGE 10 Install a stainless flush mount Southco pull latch on the lower linen cabinet door. Latch to be Change Notice 10 compliant and rated for 25lbs.
2000-0343	1	STREETSIDE WALL WITH CPR SEAT Street side cabinet wall to include a CPR seat.
2000-1762	1	OCCUPANT RESTRAINT. CPR SEAT, BLACK Install an MBrace 4-pt seatbelt at the CPR seat position. Color is to be black.
2000-0310	1	CPR SEAT, 28" WIDTH Streetside CPR seat width to be 28".
2000-1796	1	CPR SEAT BACK CUSHION, DOVE GRAY The MBrace backrest cushions for the CPR seat are to be Dove Gray #8567 in color. Seat cushion and closeout colors are listed separately.
2900-4089	1	ANGLED UPPER CABINET, FORWARD OF CPR SEAT

Spec Writer: Kevin Westfall

Spec Designer: Chris Hagg

22564 EV+ Stock Unit Type III

Exhibit "A"
Page 8 of 26

Quote # QUO0000010184

November 25, 2024

Page 8

Option	QTY	Description
		The upper cabinet forward of the CPR seat is to be angled with .25" aluminum door and steel catch. The cabinet is to be Change Notice 10 compliant.
2900-4088	1	ANGLED UPPER CABINET, AFT OF CPR SEAT
		The upper cabinet to the rear of the CPR seat is to be angled with .25" aluminum door and steel catch. The cabinet is to be Change Notice 10 compliant.
2000-2050	1	CUSTOM CABINET, Cabinet 1 Dimensions: 12.75H x 18.75W x 16.0D - Location: BELOW REAR COUNTER
		Main wall cabinet #1 dimensions are to be as noted above. Note that dimensions are I.D.
2900-2212	1	ACRYLIC HINGED DOOR, Cabinet 1
		Cabinet specified above is to have a 1/2" acrylic bottom hinged flip-down door.
5000-0040	1	SOUTHCO SS PULL STYLE LATCH Cabinet 1
		Install stainless flush mount Southco pull latches on the selected hinged doors on the cabinet designated above.
2900-0328	2	COMPRESSION STYLE HINGE Cabinet 1
		Cabinet #1 door(s) is/are to use compression style hinges.
2000-2051	1	CUSTOM CABINET, Cabinet 2 Dimensions: 18.75H x 36.5W x 16.0D - Location: Upper Rear Main Wall
		Main wall cabinet #2 dimensions are to be as noted above. Note that dimensions are I.D.
2000-1361	1	POLYCARBONATE SLIDING, CHANGE 10, CABINET 2
		Cabinet specified above is to have sliding polycarbonate doors. Doors to include CN-10 compliant catch.
2900-0172	1	INTERIOR ADJUSTABLE SHELVING, Cabinet 2
		Install painted adjustable shelving in cabinet #2.
2000-2052	1	CUSTOM CABINET, Cabinet 3 Dimensions: 16.75H x 36.5W x 16.0D - Location: Lower Rear main Wall
		Main wall cabinet #3 dimensions are to be as noted above. Note that dimensions are I.D.
2000-1362	1	POLYCARBONATE SLIDING, CHANGE 10, CABINET 3
		Cabinet specified above is to have sliding polycarbonate doors. Doors to include CN-10 compliant catch.
2900-0173	1	INTERIOR ADJUSTABLE SHELVING, Cabinet 3
		Install painted adjustable shelving in cabinet #3.
2000-2058	1	UPPER INHALATION CABINET 12.75H x 34.75W x 16.0D
		Upper inhalation cabinet dimensions are to be as noted above. Note that dimensions are I.D.
2000-1368	1	POLYCARBONATE SLIDING, UPPER INHALATION, CHANGE 10
		Cabinet over inhalation area is to have sliding polycarbonate doors. Doors to include CN-10 compliant catch.
2000-0309	1	STORAGE BENEATH THE CPR SEAT FOR THE POSSIBLE INSTALL OF A FUTURE DANHARD OR OTHER OPTION.
		Provide a storage compartment below the CPR seat cushion to allow for the possible

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Hagg****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 9 of 26

Quote # QUO0000010184

November 25, 2024

Page 9

Option	QTY	Description
		install of future equipment. Items could be, but are not limited to a Danhard unit or electric heater. No hinged cushion or latch is required at this time.
2900-0347	1	STANDARD S/W DISPOSAL, RECESSED IN ACTION AREA Install sharps and waste disposal in a metal container recessed into the inhalation counter top. Access to the waste receptacle shall be through a spring loaded door. The neck of the sharps container shall protrude through the top surface of the receptacle. Disposal of both containers shall be accessible by raising a hinged aluminum lid.
CURBSIDE CABINETRY		
2000-0359	1	SQUAD BENCH WITH NO CUPS OR WELLS Provide storage under the squad bench lid/cushion(s). The area shall run where possible under the bench. The storage pan is to be fabricated from aluminum and painted to match the interior.
2000-0367	1	SQUAD BENCH END RESTRAINT, BOLSTER Install a standard HOPS bolster at the head end of the bench.
2000-0744	1	DOUBLE CUSHION SQUAD BENCH The squad bench cushion is to be two piece.
2000-0380	1	BENCH HOLD OPENS: GAS Install gas spring hold opens on squad bench lid.
2000-0381	1	BENCH HOLD-DOWN: PADDLE LATCHES (PAIR) Install recessed paddle latches into the squad bench riser to retain the squad bench lids in the closed position. The latches shall be both passive and positive.
2000-0382	1	BENCH CUSHION EDGE TRIM: Trim bench cushion edge with protective aluminum trim, to protect horizontal edge of squad bench cushion from tears.
2000-1791	2	BENCH BACK CUSHION, DOVE GRAY The MBrace backrest cushions for the bench seating positions are to be Dove Gray #8567 in color. Seat cushion and closeout colors are listed separately.
2000-0516	1	S/W ON A TIP OUT DOOR, FORWARD BENCH Install a tip-out under the head of the squad bench facing the aisle. This door will house both sharps and waste containers. Containers are to be supplied by Horton. Paint cabinet to match interior.
2900-0052	1	BENCH CABINET, HINGED DOORS & O2 OUTLET Fabricate and install a bench ceiling cabinet above the squad bench with lift up Plexiglas doors. The forward portion is to include space for one O2 outlet.
2900-1130	2	SOUTHCO LATCH OVERHEAD BENCH CABINET Install stainless flush mount Southco pull latches on the bench ceiling cabinet.
2900-1137	6	COMPRESSION HINGES, OVERHEAD BENCH CABINET The bench ceiling cabinet door(s) is/are to use compression style hinges.
2900-0136	1	PASS-THROUGH ACCESS, CURBSIDE REAR Provide I/O access into the curbside rear compartment per drawings.
2900-1733	1	CS REAR I/O ACCESS DOOR, HINGED ACRYLIC The compartment pass-through specified above is to have a 1/2" acrylic vertically hinged door.

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Haggy****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 10 of 26

Quote # QUA0000010184

November 25, 2024

Page 10

Option	QTY	Description
2900-0404	3	CS REAR I/O DOOR HINGE, SELF CLOSING STYLE The curbside rear I/O door is to use self-closing style hinges.
2900-0405	1	CS REAR I/O DOOR LATCH, SOUTHCO SS
FRONT WALL CABINERY		
2900-0073	1	FRONT WALL CABINET: FLAT ALUM PAINTED The front wall cabinet shall be arranged per drawing. Additional configuration information may follow. Cabinet interior is to be painted to match the interior cabinet color.
2900-1737	1	ACRYLIC HINGED DOORS, Upper front wall Cabinet specified above is to have two 1/2" acrylic vertically hinged doors.
2900-1230	1	ROTARY LATCHES TOP OF RIGHT FRONT WALL CABINET Install non-locking Southco rotary latches on the upper right front wall cabinet doors. Latches to be Change Notice 10 compliant and rated for 40lbs.
2900-1017	6	SELF CLOSING HINGES TOP FRONT WALL CABINET The upper front wall cabinet door(s) is/are to use self-closing style hinges.
2900-1038	1	ADJUSTABLE SHELF, UPPER FRONT WALL TOP CABINET Fab and install an adjustable aluminum shelf in the upper section of the front wall cabinet as noted. Shelf is to match the cabinet interior.
2900-1039	1	FIXED SHELF FRONT WALL MIDDLE CABINET Fab and install a fixed aluminum shelf in the center section of the front wall cabinet as noted. Shelf is to match the cabinet interior.
2900-1042	1	ADJUSTABLE SHELF, LOWER FRONT WALL CABINET Fab and install an adjustable aluminum shelf in the lower section of the front wall cabinet as noted. Shelf is to match the cabinet interior.
2900-1745	1	ACRYLIC HINGED DOORS, Lower front wall Cabinet specified above is to have two 1/2" acrylic vertically hinged doors.
2900-1234	1	ROTARY LATCHES LOWER OF RIGHT FRONT WALL CABINET Install non-locking Southco rotary latches on the lower right front wall cabinet doors. Latches to be Change Notice 10 compliant and rated for 40lbs.
2900-1021	6	SELF CLOSING HINGES LOWER FRONT WALL CABINET The lower front wall cabinet door(s) is/are to use self-closing style hinges.
2900-2030	1	(2) GLOVE BOXES ABOVE SIDE ENTRY DOOR Install storage for (2) glove boxes in the header above the side entry door. The face of the storage area will be covered in matching interior vinyl and include openings for access to each storage area. An upholstered hinge up door with latch will be included for restocking or removal of glove boxes.
2900-1149	1	INVERT BOTTOM TRAY OF FRONT WALL CABINET. Invert the bottom tray of the front wall cabinet.
2000-1402	1	CAB TO MODULE WALKTHROUGH DOOR, POCKETED Install a recessed hinged front cabin closeout door on the right front compartment wall.
COT MOUNT		

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Haggy****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 11 of 26

Quote # QUO0000010184

November 25, 2024

Page 11

Option	QTY	Description
SR00295410	1	Cut module floor for future install of a Power load floor track at center position. Install a pre-wire for a power load
VISUAL WARNING		
3200-5015	2	M7 R/W SPLIT/CLEAR LENS Wheel wells with red forward Install Whelen M7 series LED lights as noted. Lights to be red/white split with clear lenses. Lights to include chrome flanges and flash pattern programmability from the front control panel.
3000-5085	1	M9 White Clear Lens Front Center KKK Install a Whelen M9 series LED light centered on the front face of the body. Light is to be white with a clear lens. Light is to include a chrome flange and flash pattern programmability from the front control panel.
3000-5104	1	M7 Amber/Clear Lens Rear Center KKK Install a Whelen M7 series LED light centered on the rear face of the body above the rear doors. Light is to be amber with a clear lens. Light is to include a chrome flange and flash pattern programmability from the front control panel.
3000-5018	10	M9 RED/CLEAR LENS Front body face, upper corners, 2 on street side, 2 curbside, 2 rear face outboard, 2 rear face window level Install Whelen M9 series LED lights as noted. Lights to be red with clear lenses. Lights to include chrome flanges and flash pattern programmability from the front control panel.
3300-5021	4	M9 R/W SPLIT/CLEAR LENS Front face with two on each side of center KKK light Install Whelen M9 series LED lights as noted. Lights to be red/white split with clear lenses. Lights to include chrome flanges and flash pattern programmability from the front control panel.
3000-0145	1	FLASH PATTERN, ALL WARNING LIGHTS TO ALTERNATE DOUBLE FLASH Program all warning lights to alternate double flash.
3000-1272	1	RED/CLEAR LENS 500 LED GRILLE, TOP Install (2) Whelen 500 Series red LEDs with clear lenses in the upper chassis grille. To include bezels where applicable.
3000-3502	1	RED/CLEAR LENS 500 TIR6 LED INT. LIGHTS Install Whelen 500 series TIR6 LED lights as intersection lights on each side of the chassis. Lights to be red with clear lenses. Lights to include chrome flanges.
AUDIBLE WARNING		
3000-0172	1	SIREN, WHELEN 295SLSA1 T1 - Wail T2 - Yelp T3 - Piercer Install a Whelen 295SLSA1 siren in the front console.
3000-1542	1	SPEAKERS, CAST PRODUCTS, E SERIES Install Cast Products siren speakers, applicable to Ford E-Series chassis, in the front bumper.
NON-EMERGENCY LIGHTING		
3000-0208	1	KKK SIDE BODY MARKER LIGHTS, M6 SERIES LED (PAIR) Install red Whelen M6 series LED turn/marker lights on each rear side of the module body. Lights provide module body night time side lighting visibility and turning signal indication. Lights do not flash with warning lights unless otherwise specified. Includes

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Haggy****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 12 of 26

Quote # QUO0000010184

November 25, 2024

Page 12

Option		QTY	Description
			chrome flanges.
3000-0217	1	LED EXTERIOR COMPARTMENT LIGHTING	Install full height LED strip lighting in all exterior compartments with the exception of any wheelwell compartments. Install vertical strips inside both sides of each compartment. The lights are to be directed toward the back of each compartment.
3000-0221	1	ROLLED ICC MARKER LIGHTS	Install standard rolled marker lights along the upper corner post front and rear. Do not install in cases where there are already ICC marker lights installed on a specified lightbar.
3000-0224	1	RUNNING BOARD LIGHTS, WHELEN PAR 16 L.E.D.	Install a pair of Whelen PAR 16 LED lamps with chrome flanges in the stainless steel stone guard above each running board, one per side. Wire to the chassis door switch and illuminate the step/running board.
3000-0240	1	M9 SERIES LED SCENE LIGHT, STREETSIDE FRONT	Install a Whelen M9 LED side scene light with chrome flange on the upper streetside forward portion of the body.
3000-0741	1	M9 SERIES LED SCENE LIGHT, STREETSIDE REAR	Install a Whelen M9 LED side scene light with chrome flange on the upper streetside rear portion of the body.
3000-0748	1	M9 SERIES LED SCENE LIGHT, CURBSIDE FRONT	Install a Whelen M9 LED side scene light with chrome flange on the upper curbside forward portion of the body.
3000-0762	1	M9 SERIES LED SCENE LIGHT, CURBSIDE REAR	Install a Whelen M9 L.E.D. side scene light with chrome flange on the upper curbside rear portion of the body.
3000-1633	1	LOAD LIGHTS, M9 SERIES LED	Install two Whelen M9 LED load lights with chrome flanges above the rear body entry doors.
3000-0261	1	TAIL LIGHTS, M6 SERIES, VERTICAL MOUNT	Install Whelen M6 series LED stop/tail, reverse, and turn signals. Install lights stacked vertically above the rear riser in the rear body panels to either side of the rear access doors. All lights to include chrome flanges.
ELECTRICAL			
3000-0018	1	ELECTRIC DOOR LOCKS COMPARTMENT EXTERIOR	Install power activated door locks on all exterior compartment doors. Locks to be activated by a switch at each patient area access door. Locks may be overridden by a door key.
3000-0019	1	ELECTRIC DOOR LOCKS ACCESS DOORS INTERIOR	Install power activated door locks on all patient area access doors. Locks to be activated by a switch at each patient area door. Locks may be overridden by a manual slide lever or by the door key.
3000-0022	1	ELECTRIC DOOR LOCKS WIRED TO OEM SWITCHES	The specified power door locks are to be wired to the chassis OEM door lock switches.
3000-0020	1	ELECTRIC DOOR LOCKS CONCEALED IN GRILLE	Install a concealed switch in the chassis grille to operate the power door lock circuit. Doors

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Haggy****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 13 of 26

Quote # QUO0000010184

November 25, 2024

Page 13

Option	QTY	Description
		shall be wired to unlock only on this circuit.
3000-0401	1	I4G+ ELECTRICAL SYSTEM. Install the Intelliplex i4G+ electrical system. System is to include a USB port installed under the dash for ease of programming.
3000-0305	1	INPOWER BATTERY SWITCH, WITH WAKE BUTTON 5 min. Install an Inpower electronic battery switch. Switch is to activate battery power through the vehicle ignition and is to include an automatic shutdown timer to deactivate battery power after the ignition is turned off. To include a wake button installed on the front console to activate the electrical system without using the key.
3000-1510	1	LIFESINE INVERTER/CHARGER, ON DEMAND Install a Vanner #LSC12-1100 LifeSine Inverter/charger in the streetside intermediate compartment as noted. Unit is to function 'on demand'. Status panels are selected separately.
3000-0310	2	110V INTERIOR OUTLET 1 In Inhalation Area And 1 Front wall cabinet Install a 110V outlet(s) as noted.
3000-0549	4	INTERIOR 12VDC OUTLETS: CL TYPE/USB 2 In Inhalation Area, 1 In Upper Front Wall Cabinet and 1 in the passenger side of console - upper vertical side Install a 12VDC cigarette style/USB outlet(s) as noted. Wire battery hot.
3000-1463	1	SHORELINE 1, 20A SUPER AUTO EJECT, WHITE Mount a Kussmaul Super Auto Eject 20 amp shoreline inlet in the standard location. Cover is to be white.
3000-1500	1	PD BOX LOCATION, LEFT HAND SIDE, SS INT. COMPARTMENT Install the power distribution panel on the left hand side of the streetside intermediate compartment. Close off this area from the remainder of the compartment.
3000-0324	1	SHORELINE INDICATOR 1: Install an indicator pilot light to show power to A.C. circuits and presence of activated primary shoreline.
3000-0327	1	EXTRA 12VDC CIRCUIT BREAKER: INTERMEDIATE COMPT An extra circuit breaker shall be installed in the streetside intermediate compartment.
3000-0332	1	REPORT LIGHT, LED Install a 12" LED report light on the action wall to light the counter area.
3000-0344	1	STEP WELL LIGHT VISTA LED Install a 10.5" LED Vista light strip in the standard location on the bench side of the step well. Light to activate with door open.
3000-0346	1	2.5" CAB CEILING LIGHTS, WHITE/RED LED Install (2) combination white/red LED dome lights in the cab headliner. Locate one light over the driver and one light over the passenger. Wire to a switch in the front control panel and provide 'OFF', 'CLEAR' and 'RED' selections.
3000-0359	7	PATIENT CEILING DOME LIGHTS WHELEN LED Install Whelen 80COEHCR LED dome lights in the patient area ceiling. The lights will have a high/low feature with the switch in the rear control panel.
3000-0526	1	3 SWITCH PANEL SIDE ACCESS DOOR Install an i4G 3-switch control panel on the side entry door panel.

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Hagg****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 14 of 26

Quote # QUO0000010184

November 25, 2024

Page 14

Option	QTY	Description
3000-2104	1	TIMER, DOME LIGHTS, SIDE ACCESS DOOR Install an electronic momentary touch timer switch in the specified I4g switch panel on the side access door panel. The switch will enable time limited operation of the specified dome lights with the battery switch in the 'off' position. Set timer to 15 minutes.
3000-0007	1	BACKUP ALARM RESET, MOMENTARY Install a back-up alarm and provide a momentary backup alarm reset button on the front console.
3000-0031	1	CAMERA LOCATION: OVER REAR DOORS, EXTERIOR The integrated camera system noted is to include a camera installed over the rear doors on the vehicle exterior for use in reverse.
PROGRAMMING		
6000-0001	1	LIGHT PROGRAMMING: SIDE REAR SCENE The side rear scene lights shall be wired to transmission reverse, plus standard mode of operation.
6000-0002	1	LIGHT PROGRAMMING: RIGHT SIDE SCENE The right side scene lights shall come "on" when the side patient door is opened.
6000-0003	1	LIGHT PROGRAMMING: LOAD LIGHT Program the rear load lights to activate with transmission reverse plus the standard mode of operation.
6000-0018	1	WHITE LIGHT CUTOFF SWITCH Provide a switch in the front control panel to deactivate all forward facing white lights. This includes wig wag flashers if ordered.
6000-0006	1	PROGRAMMING: AUDIBLE LOW VOLTAGE ALARM Program an audible alarm to activate if the voltage drops below 11.8 volts for 120 seconds.
6000-0007	1	LIGHT PROGRAMMING: PARK BRAKE Program a warning to display on the front console readout advising to set the Parking Brake when the module disconnect switch is "ON" and the transmission is placed in "PARK" or "NEUTRAL". It will also advise to Disengage the Parking Brake should the vehicle be placed into gear.
HVAC		
3000-1606	1	COOLTECH I, E SERIES Install a Cool-Tech I 4-fan 100,000 BTU condenser in the recessed pocket in the roof of the body.
3000-4027	1	12V HVAC, ATTENDANT'S SEAT Install a Pre-charged 12V heat/AC system with brushless motor below the attendant seat.
3000-0427	1	NFPA COMPLIANT VENTING, CAST Install an NFPA style venting system to include a 400cfm exhaust fan along with a static vent. Install 9.5" square polished covers on both vents per drawings.
RADIO		
3000-0432	1	ANTENNA COAX 1 Start: Cab Console, End: Front Center of Mod Roof An RG 58U coax shall be installed terminating as noted above.

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Hagg****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 15 of 26

Quote # QUO0000010184

November 25, 2024

Page 15

Option	QTY	Description
3000-0608	1	ANTENNA COAX 2 Start: Inhalation Wall, End: Center of Mod Roof An RG 58U coax shall be installed terminating as noted above.
1000-0173	1	CONSOLE, LINE-X, W/MAP STORAGE, E SERIES Fabricate and install an aluminum cab console and spray with black Line-X material. Console is to include three (3) front to rear map/book slots at the rear of the console.
1000-0179	1	CUP HOLDERS, 2-TIER Install two (2) two-tier style cup holders recessed into the console.
3000-5157	1	POWER TERMINAL, DUAL, INSIDE CONSOLE Install three (3) 10 gauge 30 amp cables to positive and ground studs for radio power. Wire one constant hot, one battery switched, and the third as a ground.
3000-5160	1	POWER TERMINAL, DUAL, INHALATION PANEL Install three (3) 10 gauge 30 amp cables to positive and ground studs for radio power. Wire one constant hot, one battery switched, and the third as a ground.
OXYGEN		
4000-0001	1	O2 MOUNT, VERT TRACK FOR QRM-V Vertical track for mounting of a QRM-V O2 bottle mount shall be welded on the back wall of the streetside forward compartment in the right hand corner. Bracket will be set up for an 'M' sized bottle.
4000-0018	1	O2 BOTTLE, BRACKET QRM-V Install a Zico QRM-V oxygen bracket for 'M' bottle. Locate in the streetside forward compartment.
4000-0019	1	OXYGEN ACCESS Provide access to the oxygen cylinder valve through the wall as depicted on the drawings. The door shall be hinged so that it swings into the oxygen cylinder storage compartment. Door material is to match other selected cabinet doors. The opening shall be 7" wide x 11" high and trimmed with anodized aluminum.
4000-0022	3	O2 OUTLET, OHIO MEDICAL 1 in the inhalation panel, 1 forward end of bench and 1 in the ceiling above chest of cot Install O2 outlets per instructions above. Outlets to be Ohio Medical style.
4000-0025	1	OXYGEN WRENCH Install oxygen wrench in oxygen compartment. Mount securely to wall. Mount with length of chain or cable to allow for use without being removed from the compartment.
4000-0179	1	ASPIRATOR, SSCOR, INHALATION AREA Install an SSCOR aspirator. The system shall include a wall mounted regulator and a canister holder. Plumb to the selected pump.
4000-0184	1	VACUUM PUMP CFP #107CDC20 Install a CFP #107CDC20 12vdc electric suction pump.
CERTIFICATIONS		
7000-0001	1	KKK-A-1822F CERTIFICATION LABEL The vehicle shall have weight/payload, electrical load and KKK-A-1822F certification stickers installed in the O2 compartment.
7000-0003	1	CHANGE NOTICE 10 CERTIFICATION

Spec Writer: **Kevin Westfall**Spec Designer: **Chris Hagg****22564 EV+ Stock Unit Type III**

Exhibit "A"
Page 16 of 26

Quote # QUO0000010184

November 25, 2024

Page 16

Option	QTY	Description
		The vehicle shall be certified to change notice 10 standards.


Spec Writer: **Kevin Westfall**
Spec Designer: **Chris Hagg**

22564 EV+ Stock Unit Type III

EV+ STOCK UNIT

Exhibit "A"
Page 18 of 26

22564

Horizon
REV.
DRAWN BY: JDR
10/7/24553B EXTERIOR
E-SERIES CHASSIS

SPECIFICATION DRAWING


COMP	INSIDE WIDTH	INSIDE HEIGHT	INSIDE DEPTH	CLEAR OPENING WIDTH	CLEAR OPENING HEIGHT
CS REAR	26.29	80.13	20.36	22.13	79.16
CS FWD				22.12	82.16

NOTE: DRAWINGS ARE FOR GRAPHICAL
REPRESENTATION ONLY
DIMENSIONS ARE APPROXIMATE & MAY VARY
DURING CONSTRUCTION

EV+ STOCK UNIT

Exhibit "A"
Page 19 of 26

**553B EXTERIOR
E-SERIES CHASSIS**



SPECIFICATION DRAWING

COMP.	INSIDE WIDTH	INSIDE HEIGHT	INSIDE DEPTH	CLEAR OPENING WIDTH	CLEAR OPENING HEIGHT
SS FWD	22.05	85.13	20.36	18.25	82.16
SS INT	51.57	46.50	20.36	49.28	43.37
SS REAR	37.43	43.50	20.36	32.09	40.37


NOTE: DRAWINGS ARE FOR GRAPHICAL
REPRESENTATION ONLY
DIMENSIONS ARE APPROXIMATE & MAY VARY
DURING CONSTRUCTION

Horizon REV.
DRAWN BY: JDR 5/19/25

EV+ STOCK UNIT

Exhibit "A"
Page 20 of 26

22564

Horton
Industrial Vehicles
DRAWN BY: JDR
10/7/24553B EXTERIOR
E-SERIES CHASSIS

SPECIFICATION DRAWING


NOTE: DRAWINGS ARE FOR GRAPHICAL
REPRESENTATION ONLY
DIMENSIONS ARE APPROXIMATE & MAY VARY
DURING CONSTRUCTION

EV+ STOCK UNIT


Exhibit "A"
Page 21 of 26

22564

REVISIONS		DATE	
REV	DESCRIPTION	CONSOLE DRAWING	10/7/24
	DRAWN BY: JDR		

FORD E-450 STD CONSOLE
BLACK LINE-X COATED

TOP VIEW



SIDE VIEW

SPECIFICATION DRAWING

EV+ STOCK UNIT

Exhibit "A"
Page 22 of 26

22564

REV.
Horton
EMERGENCY VEHICLES
POMONA, ILL.
14550

553B SIDE WALL E-SERIES CHASSIS


SPECIFICATION DRAWING

**NOTE: DRAWINGS ARE FOR GRAPHICAL
REPRESENTATION ONLY
DIMENSIONS ARE APPROXIMATE & MAY VARY
DURING CONSTRUCTION**

EV+ STOCK UNIT

Exhibit "A"
Page 23 of 26

22564

Horizon
DRAWN BY: JDR
10/7/24553B CABINET WALL
E-SERIES CHASSIS

NOTE: DRAWINGS ARE FOR GRAPHICAL
REPRESENTATION ONLY
DIMENSIONS ARE APPROXIMATE & MAY VARY
DURING CONSTRUCTION

SPECIFICATION DRAWING


EV+ STOCK UNIT

Exhibit "A"
Page 24 of 26

22564

Horizon REV.
DRAWN BY: JDR 10/7/24

553B FRONT WALL E-SERIES CHASSIS




NOTE: DRAWINGS ARE FOR GRAPHICAL
REPRESENTATION ONLY
DIMENSIONS ARE APPROXIMATE & MAY VARY
DURING CONSTRUCTION

SPECIFICATION DRAWING

EV+ STOCK UNIT

Exhibit "A"
Page 25 of 26


553B REAR WALL
E-SERIES CHASSIS



SPECIFICATION DRAWING

NOTE: DRAWINGS ARE FOR GRAPHICAL
REPRESENTATION ONLY
DIMENSIONS ARE APPROXIMATE & MAY VARY
DURING CONSTRUCTION

 Horton REV.
DRAWN BY: JDR 10/7/24

EV+ STOCK UNIT**Exhibit "A"**
Page 26 of 26**22564****HORION**
DRAWN BY: JDR
10/7/24**553B OVERHEAD
E-SERIES CHASSIS****SPECIFICATION DRAWING**

NOTE: DRAWINGS ARE FOR GRAPHICAL
REPRESENTATION ONLY
DIMENSIONS ARE APPROXIMATE & MAY VARY
DURING CONSTRUCTION